



Starnet High Performance LVT

Starnet

High Performance LVT

Product Features and Benefits

- 10 year commercial wear warranty – Made in the USA
- Low maintenance, no finish required
- Highly stain resistant
- Excellent slip resistance – ADA compliant
- Prevents accumulation of dust and allergens
- Meets flammability requirements
- Ergonomic construction for better foot and heel support
- Resists indentation
- Easy installation and replacement

Starnet

High Performance LVT

Environmental Features and Benefits

- Contains pre-/post-consumer content
- 100% recyclable
- Has low VOCs – FloorScore™ (products) and GREENGUARD Certifications (adhesives)
- High Performance LVT products can be reclaimed, recycled at the end of its useful life cycle

Starnet High Performance LVT Product Specifications

Classification:	ASTM 1700 Class III Solid Vinyl Tile
Construction:	Layered tile consisting of wearlayer, decorative film, and backing
Overall Thickness:	.100"/2.5 mm (nominal)
Wearlayer Thickness:	.020" clear; rigid high density PVC
Sizes:	Planks 6" x 36", Tiles 18" x 18"
Weight:	1.1 lb./sq. ft. (49.5 lbs./45 sf ctn)
Packaging:	45 sf/ctn (30 planks/ctn, 20 tiles/ctn)
Edge Treatment:	Square
Surface Texture:	Standard as shown in sample folder

Starnet

High Performance LVT

Product Specifications: Test Performance

ASTM E 648	Critical Radiant Flux	Class I CRF >0.45
ASTM E 662	Smoke Density	Passes
ASTM F 925	Chemical Resistance	Excellent
Slip Resistance	Varies with surface texture	
	All ADA Compliant	
	FTC Slip Resistant Classified Product	



SNP-101



SNP-102



SNP-103



SNP-104



SNP-105



SNP-106



SNP-107



SNP-108



SNP-109



SNP-110



SNP-111




SNT-201



SNT-202



SNT-208



SNT-203




SNT-204



SNT-205



SNT-206



SNT-207



SNT-209

To learn more about
Starnet High Performance LVT
contact a Starnet member by clicking
the member locator below

[Starnet Member Locator](#)